



# BOTOX INTAKE FORM

Last name		Address
First name		
Middle name		
Gender		
Date of birth	Mon:                  Date:                  Year:	Postal code
Occupation		Home phone #
AHC# for Medical Botox		Cell phone #
Emergency contact information		
	Name	Relationship
	Phone #	

Your Concerns – What areas would you like to get treated?

## Past Cosmetic Treatment History

	Yes	No		Yes	No
Botox			Permanent fillers		
Facial surgery			Juvederm products		
Permanent implants in the face			Skin tightening		

Are you pregnant or nursing?    **YES**    **NO**

## Allergies

**Past Medical History-** Please list all of your current medical conditions.

**Medications** - Please list all of your current prescription, OTC and herbal products that you are taking.

Approximate amount of Botox that may be used

Treatment Areas	Muscles Targeted	Usual Total Dose (units)
Frown lines	Glabellar complex	25-50 units
Horizontal forehead lines	Frontalis	10-16 units
Crow's feet	Lateral orbicularis oculi	30-40 units
Eyebrow lift	Superior lateral orbicularis oculi	10-14 units
Bunny lines	Nasalis	10-14 units
Upper lip lines	Orbicularis oris	4-8 units for upper lip
Gummy smile	Levator labi superioris alaeque nasi	10-20 units
Marionette lines	Depressor anguli oris	10-14 units
Chin	Mentalis	5-10 units
Neck band	Platysma	40-50 units

\* Each unit of Botox will cost \$8.50

## CONSENT for Botox Treatment

This consent form is designed to provide the information needed when considering whether or not to undergo Botox treatment for facial and neck wrinkles. Injection of Botox causes weakness of targeted muscles, which can last approximately 3-4 months. Injection of small amounts of Botox relaxes the treated muscles and can reduce facial wrinkles such as frown lines. Botox solution is injected with a small needle into the targeted muscles. Effects are typically seen in a few days and can take 1-2 weeks to fully develop. Botox is approved in Canada for the temporary treatment of moderate to severe dynamic frown lines in adults aged 18 to 65 years and is used off-label for all other cosmetic treatment areas. The risks, side effects and complications in the treatment with Botox on facial and neck areas include, but are not limited to the following;

- Localized burning or stinging pain during injection
- Bruising
- Weakness
- Redness
- Tenderness
- Swelling
- Infection
- Numbness
- Headache
- Anxiety
- Vasovagal episode with loss of consciousness
- Worsening of eye bags
- Lip ptosis with resultant smile asymmetry
- Oral incompetence with resultant drooling and/or impaired speaking, eating, or drinking
- Cheek flaccidity
- Dysarthria (difficulty articulating)
- Hypersensitivity reaction
- Facial asymmetry, alteration, or poor aesthetic results
- Inadequate reduction of wrinkles or lack of intended effect
- Blepharotosis (droopy eyelid)
- Eyebrow ptosis (droopy eyebrow)
- Photophobia (light sensitivity)
- Impaired eyelid closure and blink reflex
- Ectropion (lower eyelid exposure)
- Lagophthalmosis (incomplete eyelid closure)
- Xerophthalmia (dry eyes)
- Epiphora (tearing)
- Diplopia (double vision) or vision changes
- Hoarseness
- Neck weakness
- Weakening of muscles adjacent to the intended treatment area
- Autoantibodies against botulinum toxin may be present or develop after treatments rendering treatments ineffective
- Dysphagia (difficulty swallowing)

Post-marketing safety data suggest that Botox effects may, in some cases, be observed beyond the site of local injection. The symptoms may include generalized muscle weakness, double vision, blurred vision, eyelid droop, difficulty swallowing, difficulty speaking, urinary incontinence and breathing difficulties. These symptoms have been reported hours to weeks after injection. Swallowing and breathing difficulties can be life threatening and there have been reports of death related to spread of toxin effects. The risk of symptom is probably greatest in children treated for spasticity but symptoms can also occur in adults. No definite serious adverse event reports of distant spread of toxin effect associated with dermatologic use of cosmetic botulinum toxin at the labeled dose of 20 units for frown lines, or 100 units for underarm sweating have been reported.

Photographs taken shall be part of the medical record and used for documentation of response to treatment.

My signature below certifies that I have fully read this consent form and understand the information provided to me regarding the proposed procedure. I have been adequately informed about the procedure including the potential benefits and limitations, and I have had all questions and concerns answered to my satisfaction. I understand that results are not guaranteed and I accept the risks, side effects, and possible complications inherent in understanding Botox treatments.

I hereby release Dr. Brian Kim and Nicole Hambley RN, Katie Benoit RN, Tanya Averil RN and Bruce Symons Professional Corporation from all liabilities associated with this procedure.

Client name: \_\_\_\_\_ Date: \_\_\_\_\_

Client Signature: \_\_\_\_\_